
Assembly Instructions

General Assembly Guidelines


- I. Ensure that all parts and hardware are available before beginning assembly.
- II. Follow each step carefully to ensure the proper assembly of this product.
- III. Two people are recommended for ease in the assembly of this product.
- IV. The three main types of hardware used to assemble this product are : wood dowels , screws and bolts.
- V. The provided glue is to secure wood dowels in place. When first inserting dowels, locate the appropriate hole for the dowel, place a small amount of glue in the hole and insert the dowel. Wipe away excess glue immediately.




In future assembly steps when dowels are necessary to attach assembly parts together , place a small amount of glue on the end of the dowel before attaching parts together . Wipe away excess glue immediately.



VI. A Phillips head screwdriver is required for the assembly of this product.




VII. Power tools should not be used to assemble this product.



Parts List ① 20


Hardware List


Α		Ø8x30mm	Wooden dowel	30	pcs
В		Ø1/4x30mm	Bolt	5	pcs
С		Ø6x12mm	Bolt	12	pcs
D		Ø5x16mm	Shelf support pin	12	pcs
E			Plastic wedge	12	pcs
F	«JuniumB	Ø3x17mm	Screw	12	pcs
G		Ø15x11mm	Cam lock	21	pcs
Н		Ø6x32mm	Cam bolt	21	pcs
J	(0)	Ø6x50mm	Bolt	10	pcs
K	<=====================================	Ø4x12mm	Screw	8	pcs
L			Plate	4	pcs
M		Ø6x12mm	Bolt	8	pcs
N			Pulley	4	pcs
Р		M 4	Hex hey	1	pcs
Q		56x27x27mm	Connector	6	pcs
R		Ø30mm	Sticker	21	pcs
S		Ø4x12mm	Bolt	4	pcs
Т	Go Go		Handle	2	pcs
U			Glue tube	1	pcs




Philips head screwdriver required for assembly (not included)

The hardware quantities listed above are required for proper assembly. Some extra hardware may also have been included.









Insert wooden dowel (A) into part (3,4,5,6).

Step 4




Attach cam bolt (H) to part (7,8,9,10) with screwdriver.




Attach connector (Q) to part (17,18,19) using bolt (C) with hex key (P).

Step 6




Attach connector (Q) to part (17) using bolt (C) with hex key (P).







Attach part (20) to part (2) using bolt (J) with hex key (P).

Step 8






Attach part (7,8,9,10) to part (3,4,5,6), then insert and secure cam lock (G) to part (3,4,5,6) to lock it.





Attach part (7,8,9,10) to part (15), then insert and secure cam lock (G) to part (15) to lock it.



Attach part (2) to part (3,4,5,6) using bolt (J) with hex key (P).


Step 11






Attach connector (Q) to part (2) using bolt (C) with hex key (P).

Step 12




Slide back panel (13,14) into grooves as per diagram.




Attach part (1) to part (3,4,5,6), then insert and secure cam lock (G) to part (3,4,5,6) to lock it.

Step 14




Attach plastic wedge (E) to part (13,14) using screw (F) with screwdriver.

Step 15




Place sticker (R) over holes as per diagram.


Step 16



Insert shelf support pin (D) into part (3,4,5,6).





Place shelf (11,12) on top of support pin.



Attach pulley (N) using bolt (M), and plate (L) using screw (K) to part (21,22) with screwdriver.









Attach handle (T) to part (21,22) using bolt (S) with screwdriver.

Step 20



Place plate (L) on door into groove.





Hang pulley (N) to part (16), then press down to hold the door.

Step 22

